

LA TECNOLOGIA AL SERVIZIO DELL'INNOVAZIONE

TECHNOLOGY FOR INNOVATION




GLOBAL RENTING

Global Renting S.r.l.
www.globalrenting.it

Commercial Display Catalog
2026

Cooperative Partner



Products series



Products

01 New arrival

02 Irregular Display/Art application

03 Window Display

04 Indoor Display

05 Outdoor Display

06 Interactive Touch Display

07 Customization

NEW ARRIVAL



01

New arrival

Smart calendars



Main Features

- Size: 15.6, 18.5, 21.5 inch
- PCAP Touch screen option
- Android 11/13
- Standard features include a capacitive touch screen, mic, RJ45, WiFi, Bluetooth, and a 12V/2A adapter with EU/US plugs.
- Compatible with Google Calendar, Outlook, Cozi, and ONE Calendar. Google Calendar APK is pre-installed, set as the home app, and optimized for boot startup.



Application scenarios

Home, commercial office

E6 color E-Ink -indoor application



Main Features

- Size: 113.3/25.3/28.6/31.5/433.3/25.3 /28.6/31.5/43 inch
- Android control
- ultra-thin, ultra-low power consumption, energy-saving and low-carbon, environmentally friendly

Application scenarios

Home, commercial advertising

Black white E-Ink -outdoor application



Main Features

- Size: 13.3/31.2/55 inch
- Android control
- ultra-thin, ultra-low power consumption, energy-saving and low-carbon, environmentally friendly

Application scenarios

Bus, bus station, outdoor advertising display



Holographic Cylinder

NEW!



Main Features


- Size: 5.5, 6, 10.1, 21.5, 75 inch
- Standalone media player, Android control
- AI software

Application scenarios



ideal for interactive, museum, or exhibition displays



Irregular Display/Art application



Special shape LCD display -Bar, Squared, Round



Main Features

- Various sizes are optional and customizable
- Bar shape sizes: 6.86-88"
- Squared shape sizes: 4" 7.6" 17" 22" 26.5" 33" 44.9"
- Round shape sizes: 2.8" 3.4" 4" 5" 15.7" 23.6"
- Touch are optional
- Android/Window OS, HDMI input, Media player are optional

Application scenarios

- Various indoor advertising
- Commercial advertising
- Art display
- All projects relative LCD display
- Supermarket shelf advertising display, trail transit
- Art gallery, Cafe, Restaurant, Hotel, Jewelry store, Luxury store, Exhibition



Stretched Bar LCD Display

>>> 6.86" 8.8" 11.9" 19" 23.1" 24" 29" 35" 37" 47.1"
47.6" 86" 88"



- A+** Original Panel Screen
- HD** High Resolution
- 178°** viewing angle
- Option** Other size customizable
- Touch optional**
- Anti-glare screen**
- Player** Sync Play
- Solution** Android OS
Daisy Chian (DP monitor)
- Logo** Boot Logo customizable
- CMS** CMS management software for remote publish

Application Senario

Supermarket, Smart retail, Smart transportation, Guidance signage

Irregular Display - STRETCHED DISPLAY APPLICATION





Square LCD Display

> 4" 7.6" 17" 19.2" 22" 26.5" 33" 39.4" 44.9"



Original TFT Panel



800x800 Resolution
1920x1920 Resolution



Squared-shape



1:1 Aspect Ratio



178° viewing angle



Anti-glare screen



Touch optional



Android OS/Media player
HDMI In



Boot Logo customizable



Other size: 4" 19.2" 39.4" 44.9"

Application Senario

Art gallery, Cafe, Restaurant, Hotel, Jewelry store, Luxury store, Exhibition



Main Features

- Standard sizes 15.6~65 inch with Android system and HDMI-in (monitor).
- Android system is including built-in CMS software, which can publish and manage your advertising contents by mobile phone remotely.
- Frame materials are solid wood and imitated wood
- Frame colors are natural wood color/Red teak/brown options.
- If the standard design cannot meet your request, we also can custom project base on the exact needs



Application scenarios

- Art Gallery, Cafe, Restaurant, Hotel, Casino, Home

Art display - DIGITAL PHOTO FRAME APPLICATION



Window facing display

03

Window Display

Window facing display



Main Features


- Sizes: 43-75 inch, single/dual screen
- Mounted: Wall mounting, hanging, floor standing
- Resolution: 2K/4K
- Brightness: 2500/3000/4000nits optional
- AUO/BOE brand panel, high temperature glass
- AG glass/AR glass optional
- Touch screen option
- Android/Windows OS/HDMI in optional
- Fan cooling system
- Working temperature: -20°C~50°C
- Lifespan: 50000 hours
- Ambient Light Sensor, Sunlight Readable
- Ultra-thin, ultra-narrow bezel design




Application scenarios

Bank, Hotel, School, Shopping Mall, Restaurant, Retail store, beverage store, Clinic

Indoor display






Main Features

- Size from 10.4-86"
- Configuration and casing can be customized
- Android/Windows OS/HDMI in optional
- PCAP or IR touch are optional

Application scenarios

- Product display, Window display for retail stores, Shopping mall, Casino





Main Features




- Size: 30" 48" 55", video/image visible from two sides
- Configuration and casing can be customized
- Android/Windows OS/HDMI in optional
- PCAP touch screen optional

Application scenarios

- Museums, Real estate, Bank, Airport, Shopping mall, Bank Precious metals display, Hotel, Auto Exhibition



LCD video wall display





Main Features


- Size: 46 49 55 65 inch
- Resolution 1920x1080, brightness 500nits
- Bezel: 0.88mm/1.7mm/3.5mm
- Splicing mode: 1xmulti screen, 2x2, 3x3, 4x4
- Solution: Android, Media player, HDMI In/DP daisy Chian
- Installation: Wall-mounted/Floor standing/Cabinet

Application scenarios

- Restaurant, Hotel, Exhibition hall, Meeting room, Shopping mall, Command & Control center



LCD video wall display





Main Features

- Wall mounted Size: 21.5-65 inch
- Floor standing: 43-65 inch, single/dual screen
- Resolution: 2K/4K
- Brightness: 350/500/700nits optional
- Touch screen option
- Android/Windows OS/HDMI in optional
- Content manage system



Application scenarios

Cafe, Restaurant, Hotel, School, Retail store



Main Features

- Size: 21.5 23.8 27 32 inch
- Resolution 1920*1080, brightness 300cd/m2
- Touch screen
- Android12 MTK8788/MTK6769
- RAM 4GB+ROM 64GB, RAM 8GB+ROM 128GB
- Battery capacity: 133Wh, 4-7 hours endurance
- Color: Grey/White/Black
- Accessory: external 13 million /4K camera
- Power supply: DC17V
- Finished display: FCC certificate
- Charger (adapter): UL FCC certificate
- Battery Certification: UL62133 FCC

Application scenarios

Home TV, Live streaming, Conference, Whiteboard




Main Features

- A-sign(indoor): 43 55 69 inch, brightness up to 1000cd/m2, 2K/4K optional
- Touch screen option
- Android/Windows OS/HDMI in optional
- Content manage system
- 7x24 hours working

Application scenarios

- Indoor & outdoor retail store & restaurant
- Mobile advertising campaign
- Outdoor Cafe




Main Features


- Size: 18.5-32 inch, single/dual screen, horizontal/vertical screen
- Brightness: 25-350nits optional
- Touch screen option
- Android/Windows OS/HDMI in optional
- Lifespan: 50000 hours
- Content manage system

Application scenarios

Elevator advertising

Outdoor display





Main Features

- ① Backpack: 21.5 23.8 27 32 inch, outdoor brightness up to 1000cd/m2, indoor brightness 350cd/m2
 - ② Movable poster: 32 43 55 inch, waterproof IP65, 2K/4K, high brightness up to 1500cd/m2 for outdoor, Li-on battery endurance 10-15 hours
 - ③ Double sided 43 inch LCD sign, 2000cd/m2, 120,000mah battery, input voltage 24V, 240W, endurance 10-15 hours
 - ④ 3x3LED P2.5 outdoor digital signage(outdoor) with ultra-thin frame, 4500cd/m2, 50000mah battery, energy consumption 1260WH, input voltage 24V, whole range 8-10 hours
- Android/Windows OS/HDMI in optional
 - Content manage system
 - 7x24 hours working

Application scenarios

- Indoor & outdoor retail store & restaurant
- Mobile advertising campaign
- Outdoor Cafe



IP65 Totem/wall mounted -standard design



Main Features

- Wall mounted Size: 32-98 inch
- Floor standing: 18.5-98 inch, single/dual screen
- Resolution: 2K/4K
- Brightness: 1500/2000/2500nits optional
- AUO/BOE brand panel, high temperature glass
- AG glass/AR glass optional
- Touch screen option
- Fan cooling system, air condition system
- Working temperature: -20°C~50°C
- Lifespan: 50000 hours
- Content manage system

Application scenarios

Cafe, Restaurant, Hotel, School, Retail store

IP66 Totem/wall mounted -ultra slim design



1 screen

2 - screen

3 - screen



Main Features

- Size: 32-75 inch, single/dual screen, integrated
- Resolution: 2K/4K
- Brightness: 3000/4000nits optional
- AUO/BOE brand, high temperature resistance glass
- AG glass/AR glass optional
- Touch screen option
- Android/Windows OS/HDMI in optional
- Fan cooling system, air condition system
- Working temperature: -20°C~50°C
- Lifespan: 50000 hours
- Content manage system


Application scenarios

- Drive thru restaurant
- Outdoor advertising

IP66 ultra slim design -Drive thru menuboard application



Interactive touch display



Interactive touch display -order system, queue kiosk system, inquiry display, Pos, visitor management system, Touch table



Main Features

- Order system: 21.5-32 inch
- Queue kiosk system: 17-32 inch
- Inquiry system: 32-55 inch
- Touch table: 21.5 32 43 55 inch
- PCAP Touch screen option
- Android/Windows OS/HDMI in optional
- Lifespan: 50000 hours
- 7x24 hours

Application scenarios

Bank, restaurant, Art museum, library





Main Features


- Size: 55-98 inch
- Resolution: 2K/4K
- Touch screen option
- Android/Windows OS/HDMI in optional
- Lifespan: 50000 hours

Application scenarios

Smart education, smart conference



Customization





Main Features

- IP67 industrial level waterproof
- -20°C~70°C Adapt to extreme conditions
- Size: 7~32 inch

Application scenarios

- Industrial workplace environment
- Outdoor waterproof display
- Outdoor sunshine readable



Main Features

- Size: 6.4" 8.4" 10.4" 12.1" 15" 17" 19" 21.5" 22" 24" 26" 32"
- Touch screen optional
- Integrated panel + AD board + Inverter + cable kits + back shield

Application scenarios

- Industrial Machine
- Shopping malls counter


Customized Monitors/Tablets



We custom design/functions base on clients' requirements



LCD PANEL KITS (panel + driver board + PSU + cable kits)



LCD controller board




Media Player Board





LCD Video Wall Board, Splicing Board



Android Driver Board



Customization - LCD DRIVING BOARD (for round display & bar display)



LED 3D hologram -TF card play/HDMI version



▲ Installation Method



Desktop



Wall hanging



Hoisting



Main Features

- Type: Flex LED, Outdoor LED display, Indoor LED Display, Rental LED Display
- Size: customized
- LED indoor display pixel: P2.5, P2, P1.875, P1.56, P1.25...
- LED outdoor display pixel: P3, P4, P5, P6, P8, P10...

Application scenarios

LED display can be used in building curtain wall, performance or activity party, commercial center, indoor shops, restaurants, hotel or resort lobby, exhibition hall, school, hospital, outdoor advertising, traffic guide, monitoring room, for the command center, stock exchange, gymnasium and so on.

Custom: LED display (outdoor/indoor)




Outdoor LED Project
Length: ?mm
Width: ?mm
Pixel: P10, P8, P6, P5, P4
Indoor: P2.5, P1.85, P1.5,
P1.25

Custom: flexible LED display (splicing)



Indoor LED Project
Length: 960mm*6
Width: 640mm
Pixel: P2.5



Custom: flexible LED display (rear structure & wiring connection)





THANK YOU

WE ARE LOOKING FORWARD TO
COOPERATING WITH YOU IN THE FUTURE

Email: Marco@GlobalRenting.it
Web: www.globalrenting.it
Via Bologna 39/B - 10154 TORINO