




Boeing MD-11F/-11BCF

General arrangement



- Production freighter shown
- Source: Boeing data



Boeing MD-11F/-11BCF

Performance summary, General Electric CF6-80C2D1F engines

		MD-11F	MD-11BCF
Main deck, (26) 2.4 x 3.2-m (96 x 125-in) pallet/container cargo capacity	m ³ (ft ³)	445.1 (15,718)	445.1 (15,718)
Lower hold, (10) 2.4 x 3.2-m (96 x 125-in) pallets, (2) LD-3 containers ^a	m ³ (ft ³)	132.0 (4,660)	132.0 (4,660)
Total cargo volume	m ³ (ft ³)	577.1 (20,378)	577.1 (20,378)
Maximum takeoff weight	kg (lb)	285,990 (630,500)	285,990 (630,500)
Maximum landing weight	kg (lb)	222,940 (491,500)	222,940 (491,500)
Maximum zero fuel weight	kg (lb)	209,240 (461,300)	209,240 (461,300)
Revenue payload (MZFW–OEW) ^b	kg (lb)	89,580 (197,505)	88,310 (194,700)
Fuel capacity	L (U.S. gal)	146,170 (38,615)	146,170 (38,615)
Design range (MZFW payload)	nmi (km)	3,620 (6,700)	3,480 (6,450)

^a Bulk hold volume: 14.4 m³ (510 ft³)


^b Does not include tare weight

Source: Boeing data



Boeing MD-11F/-11BCF


Payload-range capability, General Electric CF6-80C2D1F engines



Source: Boeing data

Boeing MD-11F/-11BCF

Cross section




Source: Boeing data



Boeing MD-11F/-11BCF

Main deck cargo arrangement




■ MD-11F/BCF: 26 containers, 2.2 x 3.2-m (88 x 125-in) OR
Volume, 411.7 m³ (14,538 ft³)

■ MD-11F/BCF: 26 containers, 2.4 x 3.2-m (96 x 125-in)
Volume, 445.1 m³ (15,718 ft³)



Boeing MD-11F/-11BCF


Lower hold cargo arrangements



Source: Boeing data

Boeing MD-11F/-11BCF

Turnaround servicing arrangement, open ramp operation



Source: Boeing data

