



Boeing 777 Freighter

General arrangement



Source: Boeing data

Boeing 777 Freighter

Performance summary, GE90-115BL engines

		777F	
Main deck, (27) 2.4 x 3.2-m (96 x 125-in) pallets	m ³ (ft ³)	518.2	(18,301)
Lower hold, (10) 2.4 x 3.2-m (96 x 125-in) pallets plus bulk ^a	m ³ (ft ³)	134.5	(4,750)
Total cargo volume	m ³ (ft ³)	652.7	(23,051)
Maximum takeoff weight	kg (lb)	347,450	(766,000)
Maximum landing weight	kg (lb)	260,820	(575,000)
Maximum zero fuel weight	kg (lb)	248,110	(547,000)
Revenue payload (MZFW–OEW) ^b	kg (lb)	102,870	(226,800)
Fuel capacity	L (U.S. gal)	181,280	(47,890)
Design range (MZFW payload) nmi, (km)	nmi (km)	4,885	(9,045)

^a Bulk hold volume: 17 m³ (600 ft³)

^b Does not include tare weight


Source: Boeing data



Boeing 777 Freighter

Payload-range capability, GE90-110BIL engines

Payload, 1,000 kg (1,000 lb)




- Typical mission rules
- 200-nmi alternate

Source: Boeing data



Boeing 777 Freighter

Cross section




Source: Boeing data



Boeing 777 Freighter

Main deck cargo arrangement




**(27) contoured pallets or containers, 2.4 x 3.2-m (96 x 125-in);
including (22) 3.0-m (10-ft) high units
Main deck volume, 518.2 m³ (18,301 ft³)**



Boeing 777 Freighter


Lower hold cargo arrangement

**Pallets and containers
total volume**
134.5 m³ (4,750 ft³)



(6) 2.4 x 3.2-m (96 x 125-in) pallets
70.5 m³ (2,490 ft³)

Bulk volume
17.0 m³ (600 ft³)




(4) 2.4 x 3.2-m (96 x 125 in) pallets
47.0 m³ (1,660 ft³)



Boeing 777 Freighter

Turnaround servicing arrangement



Source: Boeing data

