

L'attività scientifica del dott. Francesco Fiorino è documentata da:

- | |
|--|
| <ul style="list-style-type: none">• 98 pubblicazioni su riviste internazionali e nazionali• 2 monografie• 17 lavori pubblicati come capitoli di monografie• 24 lavori pubblicati su atti di congressi• oltre 100 abstract di congressi |
|--|

ELENCO DELLE PUBBLICAZIONI SCIENTIFICHE PRINCIPALI

Dr. Francesco Fiorino

1. Colletti V., FIORINO F., Sittoni V. Minisculptured ossicles graft versus implants: Long-term results. Am J Otol, 6:553-556, 1987.
2. Colletti V., Sittoni V., FIORINO F. Stapedotomy with and without stapedius tendon preservation versus stapedectomy: long-term results. Am J Otol, 9:136-141, 1988.
3. Colletti V., FIORINO F. Indelicato T. Surgery vs. natural course of chronic otitis media. Long-term hearing evaluation. Acta Otolaryngol (Stockholm) 111:762-768, 1991.
4. Colletti V, FIORINO F. Sittoni V, Policante Z. Mechanics of the middle ear in otosclerosis and stapedoplasty. Acta Otolaryngol (Stockholm) 113:637-641, 1993.
5. Colletti V, FIORINO F. Electrophysiologic identification of the cochlear nerve fibers during cerebello-pontine angle surgery. Acta Otolaryngol (Stockh) 113:637-641, 1993.
6. Moller AR, Colletti V, FIORINO F.. Click evoked responses from the exposed intracranial portion of the eighth nerve during vestibular nerve section: bipolar and monopolar recordings. Electroencephal Clin Neurophysiol (Amsterdam), 92:17-29, 1994.
7. Colletti V, FIORINO F.. Vulnerability of hearing function during acoustic neuroma surgery. Acta Otolaryngol (Stockh) 114:264-270, 1994.
8. Moller AR, Colletti V, FIORINO F. Neural conduction velocity of the human auditory nerve: Bipolar recording from the exposed intracranial portion of the eighth nerve during vestibular nerve section. Electroencephal Clin Neurophysiol (Amsterdam), 92: 316-320, 1994.)
9. Colletti V., FIORINO F. Bipolar recording of the cochlear nerve action potentials during cerebello-pontine angle surgery. Am J Otol, 6: 798-803, 1994.
10. Colletti V, FIORINO F. Stapedotomy with stapedius tendon preservation: techniques and long-term results. Otolaryngol Head Neck Surg, 111: 181-189, 1994.
11. Colletti V, FIORINO F, Bruni L, Biasi D. Middle ear mechanics in subjects with rheumatoid arthritis. Audiology, 36: 136-146, 1997.
12. Colletti V, FIORINO F. "En-bloc" removal of small-to-medium sized acoustic neuromas with retrosigmoid-transmeatal approach. Skull Base Surgery 7:31-38, 1997.
13. Colletti V, FIORINO F., Carner M. Tonoli G. Mechanisms of auditory impairment during acoustic neuroma surgery. Otolaryngol Head Neck Surg 117: 596-605, 1997.
14. Colletti V, FIORINO F. Advances in monitoring of seventh and eighth cranial nerve function during posterior fossa surgery. Am J Otol 19: 503-512, 1998.
15. Colletti V, FIORINO F. Malleus-to-footplate prosthetic interposition: Experience with 265 patients.

16. Colletti V, FIORINO F, Carner M, Sacchetto L, Giarbini N, Cumer G. The retrosigmoid approach for auditory brainstem implant. Am J Otol 21: 826-836, 2000.
17. Colletti V, FIORINO F, Sacchetto L, Giarbini N, Miorelli V, Carner M. Hearing habilitation with auditory brainstem implantation in two children with cochlear nerve aplasia. Int J of Pediatr Otorhinolaryngol 60: 99-111, 2001.
18. Colletti V, FIORINO F, Carner M, Sacchetto L, Miorelli V, Orsi A. Auditory brainstem implantation: The University of Verona experience. Otolaryngol Head Neck Surg 2002; 127:84-96.
19. Colletti V, Carner M, Miorelli V, Guida M, Colletti L, FIORINO F. Auditory brainstem implants. (ABI): New frontiers in adults and children. Otolaryngol Head Neck Surg 133: 126-138, 2005.
20. Colletti V, FIORINO F. Is the middle fossa approach the treatment of choice for intracanalicular vestibular schwannoma? Otolaryngol Head Neck Surg 2005 Mar; 132(3):459-66.
21. Colletti V, Carner M, Miorelli V, Guida M, Colletti L, FIORINO F. Cochlear implantation at under 12 months: Report on 10 patients. Laryngoscope 2005; 115: 445-449.
22. FIORINO F, Barbieri F. Fat graft myringoplasty as a "salvage" treatment after unsuccessful tympanic membrane repair. Eur Arch Otorhinolaryngol 2007; 264:1125-1128.
23. FIORINO F, Barbieri F. Reversal of the steps stapedotomy technique with early removal of the posterior crus: early postoperative results: how we do it. Clin Otolaryngol 33:359-62, 2008. (**Impact Factor 1,869**)
24. Pighi GP, Barbieri F, Adami R, FIORINO F. Secondary tracheoesophageal puncture: blind technique with a rigid hysterometer. Laryngoscope. 2009 Jul;119:1431-4.
25. FIORINO F, Barbieri F, Pizzini FB, Beltramello A. A dehiscent superior semicircular canal may be plugged and resurfaced via the transmastoid route. Otol Neurotol 2010 Jan;31(1):136-9.
26. Pizzini FB, Barbieri F, Beltramello A, Alessandrini F, FIORINO F. HASTE diffusion-weighted 3-Tesla magnetic resonance imaging in the diagnosis of primary and relapsing cholesteatoma. Otol Neurotol. 2010 Jun;31(4):596-602.
27. FIORINO F, Pizzini FB, Beltramello A, Barbieri F. MRI performed after intratympanic gadolinium administration in patients with Ménière's disease: correlation with symptoms and signs. Eur Arch Otorhinolaryngol. 2011 Feb;268(2):181-7.
28. FIORINO F, Pizzini FB, Beltramello A, Mattellini B, Barbieri F. Reliability of Magnetic Resonance Imaging Performed After Intratympanic Administration of Gadolinium in the Identification of Endolymphatic Hydrops in Patients With Ménière's Disease. Otol Neurotol. 2011 Apr;32(3):472-7.
29. FIORINO F, Pizzini FB, Beltramello A, Barbieri F. Progression of endolymphatic hydrops in Ménière's disease as evaluated by magnetic resonance imaging. Otol Neurotol. 2011. 2011 Sep;32(7):1152-7.
30. FIORINO F, Pizzini FB, Barbieri F, Beltramello A. Variability in the perilymphatic diffusion of gadolinium does not predict the outcome of intratympanic gentamicin in patients with Ménière's disease. Laryngoscope. 2012 Apr;122(4):907-11.
31. FIORINO F, Pizzini FB, Barbieri F, Beltramello A. Magnetic resonance imaging fails to show evidence of reduced endolymphatic hydrops in gentamicin treatment of Ménière's disease. Otol Neurotol. 2012 Jun;33(4):629-33.
32. FIORINO F, Pizzini FB, Mattellini B, Barbieri F. Vestibular dehiscence syndrome caused by labyrinthine congenital cholesteatoma. Ear Nose Throat J. 2015 Feb;94(2):E1-5
33. FIORINO F, Mattellini B, Vento M, Mazzocchin L, Bianconi L, Pizzini FB. Does intravenous administration of furosemide reduce endolymphatic hydrops? J Laryngol Otol, 2016; 130:242-7
34. FIORINO F, Amadori M. Mastoidectomy dimensions for direct acoustic cochlear implantation: a human cadaveric temporal bone study. Eur Arch Otorhinolaryngol. 2017;274:2155-60.

35. Pizzini FB, Sarno A, Boscolo Galazzo I, FIORINO F, Aragno AMR, Ciceri E, Ghimenton C, Mansueto G. Usefulness of High Resolution T2-Weighted Images in the Evaluation and Surveillance of Vestibular Schwannomas? Is Gadolinium Needed? *Otol Neurotol.* 2020 ; 41:e103-e110

36. Luigi Barzan, Cristina Montomoli, Roberto Di Carlo, Martina Bertinazzi, Roberta Colangeli, Alessandro Martini, Piero Nicolai, Elena Gaio, Riccardo Artico, Valentina Lupato, Vittorio Giacomarra, Francesca Boscolo Nata, Giancarlo Tirelli, Lucia Lora, Dorian Politi, Roberto Spinato, Anna Menegaldo, Paolo Boscolo Rizzo, Maria Cristina Da Mosto, Francesco Fiorino, Irene Herman, Marco Benazzo, Alessandro La Boria, Cesare Grandi, Giuseppe Fanetti, Gianni Franchin, Vincenzo Canzonieri, Sandro Sulfaro, Guido Mazzoleni, Emanuela Vaccher. Multicentre study on resection margins in carcinoma of the oral cavity, oro-hypopharynx and larynx. *Acta Otorhinolaryngol Ital.* 2022 Apr; 42(2): 126–139.

MONOGRAFIE

1. Colletti V, FIORINO FG, Carner M. La conservazione dell'udito nella chirurgia del neurinoma dell'acustico. Ed. CRS Amplifon, Milano, 1994.

2. Salvi R., Henderson D., FIORINO F.G., Colletti V. Auditory system plasticity and regeneration. Thieme Medical Publisher, New York, 1996