

OFFICIAL AGENT - DISTRIBUTOR - AFTER SALES SERVICE FOR ITALIAN MARKET



ONE BATTERY FOR ALL APPLICATIONS SYSTEM UP TO 327,68 KWH



# **Residential ESS**

Lithium-ion Battery CFE-5100





## Efficient and flexible

Simple buckle fixing minimize the installation time and cost,Flexible to increase voltage capacity without any other equipments or settings.



### **Excellent quality**

80% of initial capacity after 6000,Integrated WiFi Modem OTA online upgrade convenient after-sales service



#### Safe and secure

LFP(Lithium ion Phosphate) the highest safety,Up to 8 Series or Parallel.



# Efficient management

Accurate sampling of voltage and current SOC mathematic more accurate and never jump.



Official Agent Distributor After Sales Service for Italian market

Model	CFE-5100
Total Energy*	5.1 kWh
Usable Energy(DC)	4.6 kWh
Max. Discharge Power	3.0 KW
Rated Capacity	100 Ah
Voltage	48~56 Vd.c
Nominal Voltage	51.2 Vd.c
Operating Condition	Indoor
Charge Operating Temperature	0~45°C
Discharge Operating Temperature	-10~55℃
Dimensions (W*D*H)	442*500*133 mm
Weight	42±0.5 kg
IP Rating	IP 20
Protective Class	I
Parallel or Series Support	8 Parallel or Series
Relative Humidity (RH)	20~60% (No condensed water)
Cooling Type	Ambient cooling
Case Material	Metal
Color	Black
Installation	Cabinet, Wall Mounting, Ground Installation
Warranty	10 Years
Communication	CAN/RS485
Protection Mode	Triple Hardware Protection
Battery Protection	Over-Current/ Over-Voltage/ Short Circuit/ Under-Voltage/ Over Temperature
Safety Certificate	CE & TUV (IEC 62619, IEC 62040) UL1973





