



*La boutique della ristrutturazione*



## CATALOGO RINGHIERE




Via Andrea Meldola, 266 - 00143, Roma  
E-mail: [info@kreaidea.it](mailto:info@kreaidea.it)  
Tel. 3402279792 - 3513029013 - 0686726919



*La boutique della ristrutturazione*


# INDICE

01.....	LOTO
02.....	ORCHIDEA
03.....	LAVANDA
04.....	TULIPANO
05.....	GIRASOLE
06.....	BAMBOO
07.....	GIGLIO
08.....	FRESIA
09.....	DALIA
10.....	ORTENSIA
11.....	CAMELIA
12.....	VIOLA
13.....	CICLAMINO
14.....	FIORDALISO
15.....	CALENDULA
16.....	JASMIN
17.....	NARCISO
18.....	PETUNIA
19.....	GELSO
20.....	AZALEA
21.....	PRIMULA
22.....	MARGHERITA
23.....	MIMOSA
24.....	ROSA
25.....	LILIA
26.....	GARDENIA
27.....	GLICINE
28.....	BUCANEVE
29.....	ANEMONE
30.....	IRIS
31.....	IBISCO
32.....	GERBERA
33.....	GAILLARDIA
34.....	DAFNE/MILTONIA
35.....	HOYA
36.....	AMARILLIDE




Finiture / Finishes	
<b>Standard</b>	modulo pre zincato / pregalvanized panel
<b>V</b>	modulo pre zincato e verniciato / pregalvanized and powder coated panel
<b>G</b>	modulo grezzo / untreated panel
<b>C</b>	modulo COR-TEN / COR-TEN panel

<b>B</b>	1000 mm
<b>H</b>	930 mm
<b>X</b>	630 mm
<b>s</b>	25/10 ≠





Finiture / Finishes	
<b>Standard</b>	modulo prezinato / pregalvanized panel
<b>V</b>	modulo prezinato e verniciato / pregalvanized and powder coated panel
<b>G</b>	modulo grezzo / untreated panel
<b>C</b>	modulo COR-TEN / COR-TEN panel

<b>B</b>	1000 mm
<b>H</b>	990 mm
<b>X</b>	630 mm
<b>s</b>	25/10 +



Finiture / Finishes	
	<b>Standard</b> : modulo zincato / pregalvanized panel
<b>V</b>	modulo zincato e verniciato / pregalvanized and powder coated panel
<b>G</b>	modulo grezzo / untreated panel
<b>C</b>	modulo COR-TEN / COR-TEN panel

<b>B</b>	1000 mm
<b>H</b>	930 mm
<b>X</b>	630 mm
<b>s</b>	25/10 #



### Finiture / Finishes

**Standard:** modulo zincato /  
pregalvanized panel

**V** modulo zincato e verniciato /  
pregalvanized and powder coated panel

**G** modulo grezzo / untreated panel



**C** modulo COR-TEN / COR-TEN panel

**B** 1000 mm

**H** 990 mm

**X** 630 mm

**s** 25/10 #



### Finiture / Finishes

**Standard** modulo prezincolato /  
pregalvanized panel

**V** modulo prezincolato e verniciato /  
pregalvanized and powder coated panel

**G** modulo grezzo / untreated panel


**C** modulo COR-TEN / COR-TEN panel

**B** 1000 mm

**H** 990 mm

**X** 630 mm

**s** 25/10 #



### Finiture / Finishes

**Standard**: modulo prezincolato /  
pregalvanized panel

**V**: modulo prezincolato e verniciato /  
pregalvanized and powder coated panel

**G**: modulo grezzo / untreated panel



**C**: modulo COR-TEN / COR-TEN panel

**B** 1000 mm

**H** 930 mm


**X** 630 mm

**s** 25/10 +




A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	630 mm	X	830 mm	X	1130 mm
L	98 mm	L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm	P	□ 12X12 mm

<b>Standard:</b>	modulo zincato a caldo / galvanized panel
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm

<b>Standard:</b>	modulo zincato a caldo / galvanized panel
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing



A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	630 mm	X	830 mm	X	1130 mm
L	98 mm	L	98 mm	L	98 mm
P	∅ 12 mm	P	∅ 12 mm	P	∅ 12 mm



**Standard:** modulo zincato a caldo /  
galvanized panel



**V:** modulo zincato a caldo e verniciato /  
galvanized and powder coated railing



**G:** modulo grezzo / untreated railing





A	1150 mm
B	1000 mm
H	930 mm
X	630 mm
L	98 mm
P	∅ 12 mm

**Standard:** modulo zincato a caldo /  
galvanized panel





V: modulo zincato a caldo e verniciato /  
galvanized and powder coated railing



A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	96 mm	L	96 mm
P	Ø 14 mm	P	Ø 14 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm



**Standard:** modulo zincato a caldo /  
galvanized panel



**V:** modulo zincato a caldo e verniciato /  
galvanized and powder coated railing




**G:** modulo grezzo / untreated railing



A	1150 mm
B	1000 mm
H	930 mm
X	630 mm
L	96 mm
P	14 mm

<b>Standard:</b>	modulo zincato a caldo / galvanized panel
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing





A	1150 mm
B	1000 mm
H	930 mm
X	630 mm
L	98 mm
P	□ 12X12 mm

**Standard:** modulo zincato a caldo / galvanized panel

**V** modulo zincato a caldo e verniciato / galvanized and powder coated railing

**G** modulo grezzo / untreated railing





A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	∅ 12 mm	P	∅ 12 mm

**Standard:** modulo zincato a caldo /  
galvanized panel



**V:** modulo zincato a caldo e verniciato /  
galvanized and powder-coated railing




A	1150 mm
B	1000 mm
H	930 mm
X	630 mm
L	98 mm
P	□ 12X12 mm

**Standard:** modulo zincato a caldo /  
galvanized panel




V: modulo zincato a caldo e verniciato /  
galvanized and powder coated railing




A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm



<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm


**Standard:** modulo zincato a caldo / galvanized panel

**V:** modulo zincato a caldo e verniciato / galvanized and powder coated railing




A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	630 mm	X	830 mm	X	1130 mm
L	98 mm	L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm	P	□ 12X12 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	630 mm	X	830 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	700 mm	X	900 mm	X	1200 mm
L	98 mm	L	98 mm	L	98 mm
P	Ø 12 mm	P	Ø 12 mm	P	Ø 12 mm


**Standard:** modulo zincato a caldo /  
galvanized panel



**V:** modulo zincato a caldo e verniciato /  
galvanized and powder coated railing




**G:** modulo grezzo / untreated railing



A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	700 mm	X	900 mm	X	1200 mm
L	96 mm	L	96 mm	L	96 mm
P	Ø 14 mm	P	Ø 14 mm	P	Ø 14 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing




A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	700 mm	X	900 mm
L	98 mm	L	98 mm
P	Ø 12 mm	P	Ø 12 mm

**Standard:** modulo zincato a caldo /  
galvanized panel




V: modulo zincato a caldo e verniciato /  
galvanized and powder-coated railing




A	1150 mm	A	1350 mm
B	1000 mm	B	1200 mm
H	930 mm	H	1130 mm
X	700 mm	X	900 mm
L	98 mm	L	98 mm
P	Ø 12 mm	P	Ø 12 mm

Standard:	modulo zincato a caldo / galvanized panel
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing




A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	700 mm	X	900 mm	X	1200 mm
L	98 mm	L	98 mm	L	98 mm
P	Ø 12 mm	P	Ø 12 mm	P	Ø 12 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing



A	1150 mm	A	1350 mm	A	1650 mm
B	1000 mm	B	1200 mm	B	1500 mm
H	930 mm	H	1130 mm	H	1430 mm
X	700 mm	X	900 mm	X	1200 mm
L	98 mm	L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm	P	□ 12X12 mm

<b>Standard:</b> modulo zincato a caldo / galvanized panel	
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing
<b>G</b>	modulo grezzo / untreated railing





A	1350 mm
B	1200 mm
H	1130 mm
X	900 mm
L	98 mm
P	$\varnothing$ 12 mm

**Standard:** modulo zincato a caldo /  
galvanized panel



**V:** modulo zincato a caldo e verniciato /  
galvanized and powder coated railing




A	1200 mm
H	1130 mm
X	870 mm
L	109 mm
P	□ 14X14 mm

Standard: modulo zincato a caldo / galvanized panel

**V** Modulo zincato a caldo e verniciato / galvanized and powder coated railing

**★ Larghezza Speciale 1460 mm / Special Length 1460 mm**




A	1350 mm
B	1200 mm
H	1130 mm
X	900 mm
L	100 mm
P	Ø 12 mm

Standard: modulo zincato a caldo /  
galvanized panel




V: modulo zincato a caldo e verniciato /  
galvanized and powder coated railing

★ Larghezza Speciale 2116 mm / Special Length 2116 mm



B	1200 mm
H	1065 mm
X	630 mm
L	98 mm
P	□ 12X12 mm

<b>Standard:</b>	modulo zincato a caldo / galvanized panel
<b>V</b>	modulo zincato a caldo e verniciato / galvanized and powder coated railing




B	1065 mm	B	1200 mm
H	930 mm	H	1065 mm
X	496 mm	X	630 mm
L	98 mm	L	98 mm
P	Ø 12 mm	P	Ø 12 mm

**Standard:** modulo zincato a caldo /  
galvanized profile



V: modulo zincato a caldo e verniciato /  
galvanized and powder coated railing





B	1065 mm	B	1200 mm
H	930 mm	H	1065 mm
X	496 mm	X	630 mm
L	98 mm	L	98 mm
P	□ 12X12 mm	P	□ 12X12 mm

**Standard:** modulo zincato a caldo /  
galvanized panel







**V:** modulo zincato a caldo e verniciato /  
galvanized and powder coated railing

# DAFNE




# MILTONIA





B	1200 mm
H	1065 mm
X	630 mm
P	□ 12X12 mm



B	1200 mm
H	1065 mm
X	630 mm
P	□ 12X12 mm