



AMG spa - Via Delle Arti e dei Mestieri, 1/3
36030 S.Vito di Leguzzano / Vicenza / Italia
Tel. +39 0445 519933 (ricerca automatica)
Fax 0445 519034 Export +39 0445 519064
Capitale sociale € 1.500.000 inter. versato
R.E.A. VI 234678 - Codice mecc. VI046925
Cod. fisc. Part. IVA - Reg. Imp. 02488430246
Direzione e coordinamento ONEWAY Srl

AUTOCERTIFICAZIONE DEL COSTRUTTORE

(ai sensi del D.M. 07 agosto 2025 e del D.P.R. n. 445/2000)

La sottoscritta società AMG spa, dichiara che gli apparecchi della seguente tipologia “III.A – Pompe di calore elettriche” e “III.E – Scaldacqua a pompa di calore” elencati negli allegati e immessi sul mercato a marchio BRONTENERGY soddisfano:

- i requisiti di cui all’Allegato I del DM 07 agosto 2025 per l’accesso al Catalogo degli apparecchi domestici;
- i requisiti tecnici, richiesti nel DM 07 agosto 2025, misurati secondo le metodologie previste dalla specifica normativa tecnica di riferimento*:

III.A) Pompe di calore

- | | | |
|--|--------------|-------------------------------------|
| - Pompe di calore elettriche | UNI EN 14825 | ☒ |
| - Pompe di calore a gas ad assorbimento | UNI EN 12309 | ☐ |
| - Pompe di calore a gas a motore endotermico | UNI EN 16905 | ☐ |

III.B) Sistemi ibridi a pompa di calore

- | | | |
|---|-----------------------------|--------------------------|
| - PdC elettrica + Caldaia a gas a condensazione | UNI EN 14825 / UNI EN 15502 | ☐ |
| - PdC a gas ad assorbimento + Caldaia a gas a condensazione | UNI EN 12309 / UNI EN 15502 | ☐ |
| - PdC a gas endotermica + Caldaia a gas a condensazione | UNI EN 16905 / UNI EN 15502 | ☐ |
| - PdC elettrica + Caldaia a biomassa | UNI EN 14825 / UNI EN 303-5 | ☐ |
| - PdC a gas ad assorbimento + Caldaia a biomassa | UNI EN 12309 / UNI EN 303-5 | ☐ |
| - PdC a gas endotermica + Caldaia a biomassa | UNI EN 16905 / UNI EN 303-5 | ☐ |

III.C) Generatori a biomassa^[1]

- | | | |
|--------------------------------|--|--------------------------|
| - Caldaie a biomassa | UNI EN 303-5 classe 5 | ☐ |
| - Stufe e termocamini a pellet | UNI EN 16510 (UNI EN 14785 per test fino al 9/11/25) | ☐ |
| - Termocamini a legna | UNI EN 16510 (UNI EN 13229 per test fino al 9/11/25) | ☐ |
| - Stufe a legna | UNI EN 16510 (UNI EN 13240 per test fino al 9/11/25) | ☐ |

III.D) Solare termico

- | | | |
|---------------------------------------|-----------------|--------------------------|
| - Collettori solari | UNI EN ISO 9806 | ☐ |
| - Impianti prefabbricati Factory Made | UNI EN 12976 | ☐ |

III.E) Scaldacqua a pompa di calore

UNI EN 16147 ☒

III.G) Microcogeneratori

☐

Luogo: San Vito di Leguzzano

Data: 10/02/2026

Firma


AMG spa - Via Delle Arti e dei Mestieri, 1
36030 SAN VITO DI LEGUZZANO (VI)
Tel. 0445 519933 Fax Italia 0445 519034
Fax estero +39 0445 519064

[1] Le emissioni di particolato primario (PP) e di monossido di carbonio (CO) sono determinate con i metodi previsti dalle norme tecniche specifiche per ogni tipologia III.C, in riferimento al 13% di O₂. La classe di qualità minima ai sensi del DM 186/17 è 5 stelle.

* Altre norme tecniche di riferimento applicabili sono disciplinate, per ogni caso, dagli specifici adeguamenti normativi in essere.

AUTOCERTIFICAZIONE DEL COSTRUTTORE

(ai sensi del D.M. 07 agosto 2025 e del D.P.R. n. 445/2000)

ALLEGATO D
ELENCO APPARECCHI CONFORMI AL CONTO TERMICO

AUTOCERTIFICAZIONE DEL COSTRUTTORE

(ai sensi del D.M. 07 agosto 2025 e del D.P.R. n. 445/2000)

ALLEGATO A
ELENCO APPARECCHI CONFORMI AL CONTO TERMICO

● POMPE DI CALORE ELETTRICHE ARIA/ARIA MONOSPLIT, A MARCHIO BRONTENERGY

Unità esterna	Unità interna	Tipologia	Sottotipo	q _s	SCOP	P _{design} H
CDXO9HP24XBY	CDX19HP24PBY	Aria/Aria	Split/Multi <= 12kW	181,0	4,6	2,5
CDXO12HP24XBY	CDX112HP24PBY	Aria/Aria	Split/Multi <= 12kW	181,0	4,6	2,6
CDXO18HP24XBY	CDX118HP24PBY	Aria/Aria	Split/Multi <= 12kW	161,0	4,1	4,2
CDXO24HP24PBY	CDX124HP24PBY	Aria/Aria	Split/Multi <= 12kW	165,0	4,2	5,0
MTXO9HP24FBY	MTX19HP24PBY	Aria/Aria	Split/Multi <= 12kW	161,0	4,1	2,3
MTXO12HP24FBY	MTX112HP24PBY	Aria/Aria	Split/Multi <= 12kW	161,0	4,1	2,8
MTXO18HP24XBY	MTX118HP24XBY	Aria/Aria	Split/Multi <= 12kW	157,0	4,0	4,1
MTXO24HP24XBY	MTX124HP24XBY	Aria/Aria	Split/Multi <= 12kW	157,0	4,0	4,8

● POMPE DI CALORE ELETTRICHE ARIA/ARIA MULTISPLIT A MARCHIO BRONTENERGY

Unità esterna	Unità Interna A	Unità Interna B	Unità Interna C	Unità Interna D	Unità Interna E	Tipologia	Sottotipo	q _s	SCOP	P _{design} H
MTXDO18HP24XBY	CDX19HP24PBY	CDX19HP24PBY				Aria/Aria	Split/Multi <= 12kW	157,0	4,0	3,8
MTXDO24HP24XBY	CDX19HP24PBY	CDX19HP24PBY				Aria/Aria	Split/Multi <= 12kW	157,0	4,0	4,5
MTXDO24HP24XBY	CDX19HP24PBY	CDX112HP24PBY				Aria/Aria	Split/Multi <= 12kW	157,1	4,0	4,5
MTXDO24HP24XBY	CDX19HP24PBY	CDX118HP24PBY				Aria/Aria	Split/Multi <= 12kW	155,5	4,0	4,5
MTXDO24HP24XBY	CDX112HP24PBY	CDX112HP24PBY				Aria/Aria	Split/Multi <= 12kW	155,4	4,0	4,5
MTXTO30HP24XBY	CDX19HP24PBY	CDX19HP24PBY				Aria/Aria	Split/Multi <= 12kW	150,1	3,8	3,8
MTXTO30HP24XBY	CDX19HP24PBY	CDX112HP24PBY				Aria/Aria	Split/Multi <= 12kW	150,5	3,8	4,5
MTXTO30HP24XBY	CDX19HP24PBY	CDX19HP24PBY	CDX19HP24PBY			Aria/Aria	Split/Multi <= 12kW	157,0	4,0	6,0
MTXTO30HP24XBY	CDX19HP24PBY	CDX19HP24PBY	CDX112HP24PBY			Aria/Aria	Split/Multi <= 12kW	155,9	4,0	6,0
MTXTO30HP24XBY	CDX19HP24PBY	CDX19HP24PBY	CDX118HP24PBY			Aria/Aria	Split/Multi <= 12kW	156,9	4,0	6,0
MTXTO30HP24XBY	CDX19HP24PBY	CDX112HP24PBY	CDX112HP24PBY			Aria/Aria	Split/Multi <= 12kW	157,0	4,0	6,0
MTXQO39HP24BY	CDX19HP24PBY	CDX19HP24PBY	CDX19HP24PBY	CDX19HP24PBY		Aria/Aria	Split/Multi <= 12kW	149,0	3,8	8,3
MTXDO18HP24XBY	MTX19HP24FBY	MTX19HP24FBY				Aria/Aria	Split/Multi <= 12kW	149,0	3,8	3,8
MTXDO18HP24XBY	MTX19HP24FBY	MTX112HP24FBY				Aria/Aria	Split/Multi <= 12kW	153,1	3,9	3,8
MTXDO24HP24XBY	MTX19HP24FBY	MTX19HP24FBY				Aria/Aria	Split/Multi <= 12kW	149,0	3,8	4,3
MTXDO24HP24XBY	MTX19HP24FBY	MTX112HP24FBY				Aria/Aria	Split/Multi <= 12kW	154,3	3,9	4,3
MTXDO24HP24XBY	MTX19HP24FBY	MTX118HP24XBY				Aria/Aria	Split/Multi <= 12kW	151,7	3,9	4,3
MTXDO24HP24XBY	MTX112HP24FBY	MTX112HP24FBY				Aria/Aria	Split/Multi <= 12kW	157,7	4,0	4,3
MTXTO30HP24XBY	MTX19HP24FBY	MTX19HP24FBY	MTX19HP24FBY			Aria/Aria	Split/Multi <= 12kW	149,0	3,8	5,3
MTXTO30HP24XBY	MTX19HP24FBY	MTX19HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	153,0	3,9	5,3
MTXTO30HP24XBY	MTX19HP24FBY	MTX19HP24FBY	MTX118HP24XBY			Aria/Aria	Split/Multi <= 12kW	150,8	3,8	5,3
MTXTO30HP24XBY	MTX19HP24FBY	MTX112HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	155,1	4,0	5,3
MTXQO33HP24BY	MTX112HP24FBY	MTX124HP24XBY				Aria/Aria	Split/Multi <= 12kW	150,6	3,8	6,0
MTXQO33HP24BY	MTX118HP24XBY	MTX124HP24XBY				Aria/Aria	Split/Multi <= 12kW	149,5	3,8	6,0
MTXQO33HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	153,5	3,9	6,0
MTXQO33HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX118HP24XBY			Aria/Aria	Split/Multi <= 12kW	152,9	3,9	6,0
MTXQO33HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX124HP24XBY			Aria/Aria	Split/Multi <= 12kW	154,4	3,9	6,0
MTXQO33HP24BY	MTX19HP24FBY	MTX112HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	157,3	4,0	6,0
MTXQO33HP24BY	MTX19HP24FBY	MTX112HP24FBY	MTX118HP24XBY			Aria/Aria	Split/Multi <= 12kW	155,7	4,0	6,0
MTXQO33HP24BY	MTX112HP24FBY	MTX112HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	161,1	4,1	6,0
MTXQO33HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX19HP24FBY	MTX19HP24FBY		Aria/Aria	Split/Multi <= 12kW	149,0	3,8	6,0
MTXQO39HP24BY	MTX112HP24FBY	MTX118HP24XBY				Aria/Aria	Split/Multi <= 12kW	151,9	3,9	7,0
MTXQO39HP24BY	MTX112HP24FBY	MTX124HP24XBY				Aria/Aria	Split/Multi <= 12kW	153,7	3,9	8,4
MTXQO39HP24BY	MTX118HP24XBY	MTX118HP24XBY				Aria/Aria	Split/Multi <= 12kW	152,6	3,9	8,4
MTXQO39HP24BY	MTX118HP24XBY	MTX124HP24XBY				Aria/Aria	Split/Multi <= 12kW	154,3	3,9	8,4
MTXQO39HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	152,0	3,9	7,0
MTXQO39HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX118HP24XBY			Aria/Aria	Split/Multi <= 12kW	152,8	3,9	8,4
MTXQO39HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX124HP24XBY			Aria/Aria	Split/Multi <= 12kW	154,9	3,9	8,4
MTXQO39HP24BY	MTX19HP24FBY	MTX112HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	155,3	4,0	7,7
MTXQO39HP24BY	MTX19HP24FBY	MTX112HP24FBY	MTX118HP24XBY			Aria/Aria	Split/Multi <= 12kW	155,6	4,0	8,4
MTXQO39HP24BY	MTX112HP24FBY	MTX112HP24FBY	MTX112HP24FBY			Aria/Aria	Split/Multi <= 12kW	159,7	4,1	8,4
MTXQO39HP24BY	MTX112HP24FBY	MTX118HP24XBY				Aria/Aria	Split/Multi <= 12kW	158,8	4,0	8,4
MTXQO39HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX19HP24FBY	MTX19HP24FBY		Aria/Aria	Split/Multi <= 12kW	149,0	3,8	8,4
MTXQO39HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX19HP24FBY	MTX112HP24FBY		Aria/Aria	Split/Multi <= 12kW	153,3	3,9	8,5
MTXQO39HP24BY	MTX19HP24FBY	MTX19HP24FBY	MTX112HP24FBY	MTX112HP24FBY		Aria/Aria	Split/Multi <= 12kW	157,2	4,0	8,5

AUTOCERTIFICAZIONE DEL COSTRUTTORE*(ai sensi del D.M. 07 agosto 2025 e del D.P.R. n. 445/2000)***ALLEGATO D****ELENCO APPARECCHI CONFORMI AL CONTO TERMICO****● SCALDACQUA A POMPA DI CALORE, A MARCHIO BRONTENERGY**

Unità interna	Tipologia	Sottotipo
DHWHPG80BY	ACS / Boiler	<= 150L (Classe A+)
DHWHPG200SBY	ACS / Boiler	> 150L (Classe A+)
DHWHPG300SBY	ACS / Boiler	> 150L (Classe A+)

● POMPA DI CALORE ELETTRICHE MONOBLOCCO ARIA/ACQUA MEDIA TEMPERATURA, A MARCHIO BRONTENERGY

Unità esterna	Tipologia	Sottotipo	ηs	SCOP	PdesignH
MHPP5RP24BY	Aria/Acqua	PDC Idronica	140,7	3,59	6,3
MHPP7RP24BY	Aria/Acqua	PDC Idronica	143,6	3,67	8,2
MHPP9RP24BY	Aria/Acqua	PDC Idronica	145,5	3,71	9,4
MHPP12RP24BY	Aria/Acqua	PDC Idronica	141,6	3,61	12,0
MHPP14RP24BY	Aria/Acqua	PDC Idronica	141,8	3,62	14,0
MHPP16RP24BY	Aria/Acqua	PDC Idronica	140,6	3,59	16,0
MHPP12RP24P3BY	Aria/Acqua	PDC Idronica	141,6	3,61	12,0
MHPP14RP24P3BY	Aria/Acqua	PDC Idronica	141,8	3,62	14,0
MHPP16RP24P3BY	Aria/Acqua	PDC Idronica	140,7	3,59	16,0
MHPA22RP24P3BY	Aria/Acqua	PDC Idronica	126,0	3,22	22,0
MHPA30RP24P3BY	Aria/Acqua	PDC Idronica	123,0	3,14	30,0

● POMPA DI CALORE ELETTRICHE MONOBLOCCO ARIA/ACQUA BASSA TEMPERATURA, A MARCHIO BRONTENERGY

Unità esterna	Tipologia	Sottotipo	ηs	SCOP	PdesignH
MHPP5RP24BY	Aria/Acqua	PDC Idronica	201,8	5,12	6,5
MHPP7RP24BY	Aria/Acqua	PDC Idronica	204,0	5,17	8,4
MHPP9RP24BY	Aria/Acqua	PDC Idronica	201,9	5,12	10,0
MHPP12RP24BY	Aria/Acqua	PDC Idronica	200,1	5,08	12,2
MHPP14RP24BY	Aria/Acqua	PDC Idronica	192,5	4,89	14,1
MHPP16RP24BY	Aria/Acqua	PDC Idronica	190,5	4,84	16,0
MHPP12RP24P3BY	Aria/Acqua	PDC Idronica	200,2	5,08	12,2
MHPP14RP24P3BY	Aria/Acqua	PDC Idronica	192,5	4,89	14,1
MHPP16RP24P3BY	Aria/Acqua	PDC Idronica	190,5	4,84	16,0
MHPA22RP24P3BY	Aria/Acqua	PDC Idronica	178,0	4,53	22,0
MHPA30RP24P3BY	Aria/Acqua	PDC Idronica	165,0	4,19	30,1